

FIG. 1



addr	id	key
0	0	8
1	1	12
2	2	5
3	3	7
4	4	10
5	5	1
6	6	11
7	7	6
8	0	8
9	2	5
10	5	1
11	7	6
12	2	5
13	5	1
14	5	1

200

FIG. 2





FIG. 3





5/22






FIG. 5



6/22





7/22

FIG. 8A
FIG. 8B
FIG. 8C

FIG. 8




FIG. 7



8/22






FIG. 8A





**FIG. 8B**





Appl'n No.: 09/588,619  
Title: APPARATUS AND METHOD FOR PACKING  
Inventors: William J. Dally, *et al.*  
Replacement Sheet

11/22

Cycle					
	1	2	3	4	5
Addr 1	5	7	2		
Comp 1	5.9	7.d	2.15		
Sib 1	4.10	6.11	3.7		
Addr 2		10	11	9	
Comp 2		5.9	6.11	3.7	
Sib 2		7.6	5.9	0.8	
Addr 3			13	13	12
Comp 3			7.6	5.9	3.7
Sib 3			2.5	2.5	5.9
Result			2.5	2.5	3.7

FIG. 9



12/22




FIG. 10



13/22




FIG. 11



14/22




FIG. 12



15/22




FIG. 13



16/22




FIG. 14






FIG. 16




FIG. 15




FIG. 17



19/22




FIG. 18



20/22




FIG. 19




FIG. 20



21/22




FIG. 20A



22/22




FIG. 20B